

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	350	saturat\$5 with (sign\$4 and unsign\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/07/21 16:20
L2	6385	simd (single near instruction near multiple near data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2010/07/21 16:20
L3	417	(mixed near mode) with add\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2010/07/21 16:20
L4	10	L3 and L2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2010/07/21 16:20
L5	417	(mixed near mode) with add\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2010/07/21 16:20
L6	94	four with ("16" near bit) with adders	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/07/21 16:20
S1	10	"814312"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/29 17:35
S3	3788	simd (single near instruction near multiple near data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:10
S4	81	(mixed near mode) near2 add\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:22
S5	2	S4 same S3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:10
S6	277	(mixed near mode) with add\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:23
S7	2	S6 same S3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:23

S8	4	S6 and S3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:23
S9	12	S6 same ((sign\$3 unsign\$3) with (data bit))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:33
S10	2	S6 same ((signed unsigned) with (data bit))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:33
S11	3	S3 and S4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/30 16:33
S12	22	"215756"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/07/21 10:20
S13	3	"20020040378"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:56
S14	53110	saturat\$5 with (sign\$4 unsign\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:37
S15	335	saturat\$5 with (sign\$4 and unsign\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:37
S16	289	S15 and "7"???.clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:52
S17	211	(saturat\$5 with (sign \$4 and unsign\$4)) same result\$4	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:52
S18	194	S17 and "7"???.clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:52
S19	281	saturat\$5 with (sign\$4 with unsign\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:53

S20	154	(saturat\$5 with (sign \$4 with unsign\$4)) same result\$4	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:54
S21	145	S20 and "7"???.clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 15:54
S22	15	simd with "or operation"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 23:11
S23	22	simd same "or operation"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 23:12
S24	173	four with ("16" near bit) with adder	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 23:51
S25	21	S24 and simd	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 23:52
S26	93	four with ("16" near bit) with adders	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 23:56
S27	48	(four near3 adders) with ("16" near bit)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2010/01/28 23:57

7/21/2010 4:22:42 PM

C:\Documents and Settings\jilindof\My Documents\EAST\Workspaces\10814312.wsp